

# Reset, Backup and Restore the Open-Audit database

- [Recreate Database](#)
- [Completely Delete Database and Recreate](#)
- [Backup the Database](#)
- [Restore the Database](#)
- [Moving the Database Files on Windows](#)

Open-Audit ships with a .sql file used to build the database schema. It is a simple matter to use this and reset the database.

NOTE - If you have changed the credentials used by Open-Audit to access MySQL you will need to adjust the below commands.

## Recreate Database

Linux

```
mysql -u openaudit -popenauditpassword openaudit < /usr/local/open-audit/other/openaudit_mysql.sql
```

Windows

```
c:\xampp\mysql\bin\mysql.exe -u openaudit -popenauditpassword openaudit < c:\xampp\open-audit\other\openaudit_mysql.sql
```

## Completely Delete Database and Recreate

If you would like to completely drop the database, run the below commands.

Linux

```
mysql -u root -popenauditrootuserpassword -e "drop database openaudit; create database openaudit;"  
mysql -u openaudit -popenauditpassword openaudit < /usr/local/open-audit/other/openaudit_mysql.sql
```

Windows

```
c:\xampp\mysql\bin\mysql.exe -u root -popenauditrootuserpassword -e "drop database openaudit; create database openaudit;"  
c:\xampp\mysql\bin\mysql.exe -u openaudit -popenauditpassword openaudit < c:\xampp\open-audit\other\openaudit_mysql.sql
```

## Backup the Database

Linux

```
mysqldump -u openaudit -popenauditpassword --routines --extended-insert=FALSE openaudit > /tmp/openaudit_mysql.sql
```

Windows

```
c:\xampp\mysql\bin\mysqldump.exe -u openaudit -popenauditpassword --routines openaudit > c:\temp\openaudit_mysql.sql
```

# Restore the Database

Linux

```
mysql -u openaudit -popenauditpassword openaudit < /tmp/openaudit_mysql.sql
```

Windows

```
c:\xampp\mysql\bin\mysql.exe -u openaudit -popenauditpassword openaudit < c:\temp\openaudit_mysql.sql
```

## Moving the Database Files on Windows

Sometimes users don't want the actual MySQL data on their C Drive. An example of moving the files to G Drive is below. Note - the MySQL server itself is left on C Drive, only the database data files are moved.

First, open a command prompt with Administrator rights, then run the below commands.

```
net stop mysql
xcopy C:\xampp\mysql\data G:\data /O /X /E /H /K
move C:\xampp\mysql\data C:\xampp\mysql\data.bak
mklink /J C:\xampp\mysql\data G:\data
net start mysql
```

NOTE - We have not deleted the files in the original c:\xampp\mysql\data directory. This is left to the user to do when they are happy the files (now on G Drive) are working as intended.

To reverse the procedure (assuming you still have your original files in c:\xampp\mysql\data.bak, again open a command prompt with Administrator rights, then run the below commands.

```
net stop mysql
rmdir c:\xampp\mysql\data
move c:\xampp\mysql\data.bak c:\xampp\mysql\data
net start mysql
```

NOTE - the actual data in g:\data has not been deleted and is left for the user to do.