

Home (old)

Welcome to the Open-Audit community WIKI. Open-Audit is a program designed to track and report on your IT and related assets details and configuration. Open-Audit can tell what is on your network, how it is configured and if there have been any changes.

Below you will find documentation detailed and summary, to get started, please review the section "Getting Started" and don't forget about the user forums at <http://www.open-audit.org>.

More information about [Opmantek and our products and services available on our website](#).

NOTE - Dashboard Graphs If you install 2.0.6 and your Dashboard graphs do not populate, simply click on one of the links in Discover, Report or Manage. You will then see the EULA. Click accept and all will work as intended.

Open-Audit Documentation

- [2 - Introduction to Open-Audit Community](#)
- [3 - Introduction to Open-Audit Professional & Enterprise](#)
- [4 - Open-Audit Community versus Professional & Enterprise](#)
- [Getting Started](#)
- [Troubleshooting](#)
- [Open-Audit FAQ](#)
- [Open-Audit Support Information](#)
- [Target Client Configuration](#)
- [Blessed Subnets](#)

Errata

- [Errata - 3.2.2 Patch for match_ip_no_data](#)
- [Errata - 3.2.2 Manufacturers of SNMP Devices not set](#)
- [Errata - 3.1.1 Running Discoveries on Centos \(PHP < 5.5\)](#)
- [Errata - 3.1.1 Running Discoveries on Centos \(bash issue\)](#)
- [Errata - 3.0.2 Upgrading from a version older than 2.2.0](#)
- [Errata - 3.0.1 Widget Definitions](#)
- [Errata - 3.0.0 Windows Audits from Discovery on Windows Open-Audit Server](#)
- [Errata - 2.3.2 Creating Discoveries in Community](#)
- [Errata - 2.3.2, 2.3.1 Manually creating a new device](#)
- [Errata - 2.3.2, 2.3.1, 2.3.0 Modules retrieval for SNMP devices](#)
- [Errata - 2.3.1 Setting the first_seen attribute](#)
- [Errata - 2.3.1 OSX Auditing](#)
- [Errata - 2.3.0 upgrades](#)
- [Errata - 2.2.7 Creating a user in Pro/Ent](#)
- [Errata - 2.2.6 Serial false positive matching](#)
- [Errata - 2.1 Updating MAC Addresses from Nmap](#)
- [Errata - 2.1 Security Update, March 2018](#)
- [Errata - 2.1 Security Update, April 2018](#)
- [Errata - 2.0.6 Dashboard Graphs](#)
- [Errata - 1.8.4 Hard Disk bugfix](#)
- [Errata - 1.8.2 Patch for escape characters in SSH password in Discovery](#)
- [Errata - 1.8.2 Manual Database Update](#)
- [Errata - 1.8.2 Discovery patch \(Windows\)](#)
- [Errata - 1.6 Security Update, March 2015](#)
- [Errata - 1.5.3 Security Update, February 2015](#)
- [Errata - 1.12.8.x error on database upgrade](#)
- [Errata - 1.12.10 Bulk Upload Tasks](#)
- [Errata - 1.12.10](#)

- [Errata - 1.12.0 MySQL SUPER priv required for database upgrade](#)
- [Errata - 1.12.0 Active Directory auth failing](#)
- [Errata - 1.12_2 patch for opConfig](#)

Installing and Configuring Open-Audit

- [Release Notes](#)
- [Security Updates](#)
- [Server Requirements](#)
- [Getting Started - NMIS8 Virtual Appliance Bundle Installation](#)
- [Linux - Installing or Upgrading](#)
- [Linux - Uninstalling Open-Audit Community and Open-Audit Enterprise](#)
- [Windows - pre-requisites](#)
- [Windows - Installing](#)
- [Windows - Upgrading](#)

- [Open-Audit Enterprise - Configuration Guide](#)
- [Configuring Maps](#)
- [Backup and Restore](#)
- [Open-Audit Default Configuration Values and Description](#)

Devices

- [Matching Devices](#)
- [Changes](#)
- [DB Schema - system table](#)
- [DB Schema - component tables](#)
- [What Operating Systems will the audit scripts run on?](#)
- [Auditing Linux without root](#)

Information

- [Information about how to get data into Open-Audit](#)
- [Information about the architecture of Open-Audit](#)
- [Information about default users and passwords](#)
- [Information about Printers](#)
- [Information about software keys](#)
- [Information about Network Ports](#)
- [Target Client Configuration](#)
- [Open-Audit and Nmap](#)
- [Storing Credentials \(encryption\) in Open-Audit](#)
- [Blessed Subnets](#)
- [MySQL hints](#)

How To - Discovery

- [How to audit a Computer](#)
- [How to use Open-Audit Discovery on a Subnet](#)
- [How to use Active Directory Discovery](#)
- [How to audit a subnet using a script](#)
- [Collector / Server](#)
- [How to discover a single Device](#)

How To - Other

- [How to import devices using a spreadsheet](#)
- [How to import devices from and export devices to NMIS](#)
- [How to Schedule Tasks in Open-Audit](#)
- [How to Bulk Edit device attributes](#)
- [How to Enable LDAP Authentication and Authorization for Open-Audit](#)
- [Reset, Backup and Restore the Open-Audit database](#)

Collections

- [The Open-Audit API](#)
- [Applications](#)
- [Attributes](#)
- [Baselines](#)
- [Clouds](#)
- [Collectors](#)
- [Connections](#)
- [Credentials](#)
- [Dashboards](#)
- [Database](#)
- [Devices](#)
- [Discoveries](#)
- [Discovery Scan Options](#)
- [Fields](#)
- [Files](#)
- [Groups](#)
- [Integrations](#)
- [LDAP_Servers](#)
- [Licenses](#)
- [Locations](#)
- [Logs](#)
- [Maps](#)
- [Networks](#)
- [Orgs](#)
- [Queries](#)
- [Racks](#)
- [Roles](#)
- [Rules](#)
- [Scripts](#)
- [Summaries](#)
- [Tasks](#)
- [Users](#)
- [Widgets](#)
- [Tasks \(pre 2.0.6\)](#)

Features

- [Availability](#)
- [Changes](#)
- [CMDB](#)
- [Export](#)
- [Reports](#)
- [Scalability](#)
- [Support](#)
- [Warranties](#)

Deprecated

-
- [Adjust Session Expiration](#)
 - [Baselines \(Extended Info\)](#)
 - [Configuring Scheduled Reports](#)
 - [Connections \(pre v2\)](#)
 - [Credential Sets in Open-Audit](#)
 - [Discoveries \(pre v2\)](#)
 - [Fields \(pre v2\)](#)
 - [Files \(pre v2\)](#)
 - [How to Create and use Additional Fields](#)
 - [How to Create a Query](#)
 - [How to create a Query definition](#)
 - [How to Schedule Discovery using a script](#)
 - [How to use Open-Audit Discovery on an Active Directory Domain](#)
 - [Information about Users and Groups](#)
 - [Installing the pre-reqs on CentOS and RedHat \(old pre v1.3.1\)](#)
 - [Installing the pre-reqs on Debian and Ubuntu \(old pre v1.3.1\)](#)
 - [Linux - Installing \(old pre v1.3.1\)](#)
 - [Linux - Installing or Upgrading](#)
 - [Linux - Installing or Upgrading \(1.3.2\)](#)
 - [Linux - Upgrading \(old pre v1.3.1\)](#)
 - [Locations \(pre v2\)](#)
 - [Networks \(pre v2\)](#)
 - [Open-Audit Install Guide \(release 1.0.4 for Linux\)](#)
 - [Open-Audit Install Guide \(release 1.0 for Linux\)](#)
 - [Open-Audit Install Guide \(release 1.0 for Windows\)](#)
 - [opMaps for Open-Audit v1.0.3](#)
 - [Orgs \(pre v2\)](#)
 - [Scripts \(pre v2\)](#)
 - [How to audit an Active Directory domain](#)
 - [Auditing a single Windows PC \(audit_windows.vbs\)](#)
 - [Open-Audit v1.0 Installation Guide - Linux](#)
 - [Introduction to Open-Audit Enterprise](#)
 - [Open-Audit Community versus Enterprise](#)
 - [Auditing an Active Directory Domain \(audit_domain.vbs\)](#)
 - [Defining Reports](#)
 - [Installing the pre-reqs on Debian and Ubuntu](#)
 - [Linux - Installing](#)
 - [1.12.10 Errata](#)
 - [How to Enable Active Directory User Validation to login in to Open-Audit](#)
 - [How-to_audit_a_subnet_using_a_script](#)
 - [How to use Open-Audit Enterprise Discovery on a Subnet](#)
 - [Open-Audit 1.8.4 Hard Disk bugfix](#)
 - [Manual Database Update to 1.8.2](#)
 - [How to audit a single Windows computer](#)
 - [How to audit a single Linux computer](#)
 - [Release Notes for Open-Audit v2.1](#)

Recently Updated

[MySQL hints](#)

Nov 13, 2019 • updated by Mark Unwin • [view change](#)

[Collector server creation](#)

Nov 12, 2019 • updated by Mark Unwin • [view change](#)

[Collector / Server](#)

Nov 12, 2019 • updated by Mark Unwin • [view change](#)

[Collectors](#)

Nov 12, 2019 • updated by Mark Unwin • [view change](#)

[Installing the pre-reqs on Debian and Ubuntu](#)

Nov 12, 2019 • updated by Mark Unwin • [view change](#)

[Information about Network Ports](#)

Oct 30, 2019 • commented by Mark Unwin

[Information about Network Ports](#)

Oct 30, 2019 • updated by Mark Unwin • [view change](#)

[Information about Network Ports](#)

Oct 29, 2019 • commented by A M

[Release Notes for Open-Audit v3.1.2](#)

Oct 24, 2019 • updated by Mark Unwin • [view change](#)

[Devices](#)

Oct 22, 2019 • updated by Mark Unwin • view change

[Re: Custom naming convention for LDAP Orgs,Roles](#)

Oct 21, 2019 • created by A M

[Release Notes for Open-Audit v3.2.2](#)

Oct 21, 2019 • updated by Mark Unwin • view change

[Release Notes for Open-Audit v3.2.1](#)

Oct 21, 2019 • updated by Mark Unwin • view change

[Re: Custom naming convention for LDAP Orgs,Roles](#)

Oct 18, 2019 • created by Mark Unwin

[Custom naming convention for LDAP Orgs,Roles](#)

Oct 18, 2019 • created by A M

Navigate space