

Fields

- [Introduction](#)
- [How Does it Work?](#)
- [Creating a Field](#)
- [View Field Details](#)
- [Database Schema](#)
- [API / Web Access](#)

Introduction

Open-AuditIT can store information in additional fields that are associated with each device.

Once an Additional Field has been created it can be used in queries and groups just like any other attribute in the database.

How Does it Work?

Fields attributes are:

- Name: The name you are giving to this field. Ideally it should be unique.
- Type: This can be either a varchar (a text field) or a List (a list of values that can be selected).
- Placement: Where on the Device Details screen you would like to see this field appear.
- Group: The group of devices this field applies to. To apply it to all devices, use the All Devices group.


If you select a List type, an additional field will appear called Values. You should put a comma separated list of selectable values here. These will display in a dropdown box whenever the field is edited.

Like most other attributes, Additional Fields can be bulk edited. Use the Bulk Edit function as you normally would and you will see the Additional Fields are available for input.

You can edit the value of the Additional Field for each individual device in the group you have assigned the field to. View the device details screen, open the section containing the field and (if you have sufficient access) you can click on the field value to edit it, as below. In the below screenshot you can see I have assigned the "Test List" field to the 'custom' section.

Creating a Field

To make another network go to menu: Manage -> Fields -> Create Field.



Open-AuditT Enterprise 3.3.0 View Discover Report Manage Admin Help Modules Licenses User: admin

Home / Fields Dashboards

Fields

Name

Org ID

Type

Values

Placement

Group ID

[Submit](#)

About

Open-AuditT can store information in custom fields that are associated with each device.

Once an Additional Field has been created it can be used in queries and groups just like any other attribute in the database.

For more detailed information, check the [Open-AuditT Knowledge Base](#).

Notes

If you select a List type, the "values" field will be enabled. You should put a comma separated list of selectable values here. These will display in a dropdown box whenever the field is edited.

Like most other attributes, Fields can be bulk edited. Use the Bulk Edit function as you normally would and you will see the Fields are available for input.

You can edit the value of the Field for each individual device in the group you have assigned the field to. View the device details screen, open the section containing the field and (if you have sufficient access) you can click on the field value to edit it.

Open-AuditT Enterprise 3.0.0 is licensed to Opmantek for 12345 Nodes - Commercial - Expires 18-Sep-2020
Purchase a license for more nodes by clicking [here](#)

Powered by Opmantek

View Field Details

Go to menu: Manage -> Fields -> List Fields.

You will see a list of fields. You can view a field by clicking on the blue view icon. You can also edit or delete your fields.

Open-AuditT Enterprise 3.3.0 View Discover Report Manage Admin Help Modules Licenses User: admin

Home / Fields Dashboards

Fields

50 records per page Search:

Details	Name	Organisation	Type	Placement	Group	Delete
View	exampleField	Default Organisation	varchar	system	All Devices	Delete

Showing 1 to 1 of 1 entries First Previous Next Last

Open-AuditT Enterprise 3.0.0 is licensed to Opmantek for 12345 Nodes - Commercial - Expires 18-Sep-2020
Purchase a license for more nodes by clicking [here](#)

Powered by Opmantek

Database Schema

The database schema can be found in the application if the user has database::read permission by going to menu: Admin -> Database -> List Tables, then clicking on the details button for the table.

API / Web Access

You can access the collection using the normal Open-AuditT JSON based API. Just like any other collection. Please see [The Open-AuditT API documentation](#) for further details.

