

# Release Notes for Open-Audit v2.0.10

Released 2017-10-20.

- [Overview](#)
- [Change Log](#)

## Overview

Mostly a bug fix release with a couple of new options and features.

## Change Log

Open-Audit	Bug	Fixed creating a query or group that contains a % in its SQL.
Open-Audit	Bug	Fix the SQL schema to have a default port of 389 (instead of 385) for LDAP connections.  This is set in the GUI anyway so it wasn't impacting use. It is now "correct".
Open-Audit	Improvement	When an audit result is submitted from an address not in a valid subnet, log it (and discard as per normal).
Open-Audit	Improvement	Escape single quotes in data on map template.
Open-Audit	Bug	Fix Device Details -> Delete Credentials button in Firefox.
Open-Audit	Improvement	Fix for user-generated fields causing invalid HTML.
Open-Audit	Bug	Incorrect name of HTML element on create collection (sql should have been data[attributes][sql]). Affected creating queries and groups.
Open-Audit	Improvement	LDAP Servers Create Form - DN Password is not a html password type
Open-Audit	Improvement	Manually add device, populate IP table if subnet supplied.
Open-Audit	Improvement	Do not accept audit result if id, name and ip are not populated.
Open-Audit	Improvement	Make discovery commands work on non-ideal linux shell (C Shell).
Open-Audit	Improvement	Add custom field type of date and use HTML type date on forms.
Open-Audit	Improvement	Ensure all options are available to modify scripts in the UI (Professional to come).
Open-Audit	Bug	Add the user->type attribute when creating a user from LDAP.
Open-Audit	Bug	Test for the user->type attribute !=empty before testing for a string (was preventing Pro/Ent from working with MS & Open LDAP).  Related to the above issue.
Open-Audit	Feature	Config option added - delete_noncurrent_netstat. Set to 'y' by default so we don't bother tracking netstat ports when they change.  These items change anyway so tracking the changes isn't that helpful. Set to 'n' to revert to tracking changes.  In the future we'll introduce tracking ports below 1024 only.
Open-Audit	Feature	Config option added - delete_noncurrent_variable. Set to 'y' by default so we don't bother tracking environment variables when they change.  These items change anyway so tracking the changes isn't that helpful. Set to 'n' to revert to tracking changes.

Open-Audit	Feature	<p>Config option added - discovery_linux_use_sudo. Set to 'y' by default. Should we attempt to run the audit script using sudo if it exists.</p> <p>Introduced because some Linux configurations are set to not allow sudo commands to be runnable (even though sudo exists and the user has sudo access).</p>
Open-Audit Enterprise	Improvement	Allow read only (collection and read) views for devices, discoveries, and logs on a Collector.
Open-Audit Professional	Bug	Fix CSV import of devices.
Open-Audit Professional	Bug	Fix refine device display fails if a single category is chosen (works for multiple).
Open-Audit Professional	Improvement	Manually add device, populate IP table if subnet supplied.
Open-Audit Professional	Improvement	Add custom field type of date and use HTML type date on forms.
Open-Audit Professional	Improvement	<p>Revise panels in device details. Summary is now a true summarised view and an extra 'Details' panel is provided.</p> <p>Move 'As At' button to header. Make Summary panel closable.</p>