

# How To - opEvents - Manually Purge Events From OMK Database

- [Purpose](#)
  - [Related Documents](#)
- [Determine Retention Interval](#)
- [Run the opEvents Purge Command](#)
- [Recover Disk Space - Compact MongoDB](#)
  - [Shutdown OMK Services](#)
  - [Enter the mongo Shell and Compact opEvents Collections](#)
  - [Start OMK Services](#)
- [Set Purging Policy](#)
- [Related Topics](#)
  - [Purging of old data in opEvents](#)

## Purpose

Purging may not have been set up at installation time. If the OMK database has grown large it's a good idea to select an event retention period and manually purge the OMK database.

## Related Documents

[Purging of old data in opEvents](#)

## Determine Retention Interval

Select a retention period that provides infrastructure engineers with necessary event information and also complies with your organizations security and compliance policies.

## Run the opEvents Purge Command

The purge action is run with the opevents-cli.exe command line utility. When using this utility the retention period is relative to the current time and is referred to as 'purge\_older\_than'. The value passed with the command may be expressed in minutes, hours, or days (combinations are also possible). Using days as an example, if the retention period were 1 year the command line option for the retention period would like like this:

```
### Retention period
events_purge_older_than=365d

### Entire command
/usr/local/omk/bin/opevents-cli.exe act=purge events_purge_older_than=365d
```

We recommend running the purge in simulate mode first to determine if the desired outcome will be achieved.



For large databases this operation may take some time.

```
[root@poller-office ~]# /usr/local/omk/bin/opevents-cli.exe act=purge events_purge_older_than=365d debug=1
simulate=true
[Fri Dec 15 22:16:28 2017] [debug] cli[11499] Purging unwanted database indices
[Fri Dec 15 22:16:28 2017] [debug] cli[11499] Purging disabled for rawlogs
Purging disabled for rawlogs
[Fri Dec 15 22:16:28 2017] [debug] cli[11499] Purging disabled for archivelogs
Purging disabled for archivelogs
[Fri Dec 15 22:16:28 2017] [debug] cli[11499] Db purge of events: 0 entries (of 17947) in events are older than
1y
Db purge of events: 0 entries (of 17947) in events are older than 1y
[Fri Dec 15 22:16:28 2017] [debug] cli[11499] Simulated purging events: would remove 0 (of 17947) entries from
events
Simulated purging events: would remove 0 (of 17947) entries from events
[Fri Dec 15 22:16:28 2017] [debug] cli[11499] Db purge of events: 0 entries (of 13105) in actionlog are older
than 1y
Db purge of events: 0 entries (of 13105) in actionlog are older than 1y
[Fri Dec 15 22:16:28 2017] [debug] cli[11499] Simulated purging events: would remove 0 (of 13105) entries from
actionlog
Simulated purging events: would remove 0 (of 13105) entries from actionlog
[Fri Dec 15 22:16:28 2017] [debug] cli[11499] Purging disabled for reports
Purging disabled for reports
```

Once satisfied that the desired action will occur; remove the simulate option and run the command again.

## Recover Disk Space - Compact MongoDB

The old records have been removed, but the database is still taking the same amount of storage. In order to recover the disk space we will need to issue the MongoDB 'compact' command. This will rewrite and defragment the database. The safe approach is to shut down all daemons that are writing the the database prior to issuing the 'compact' command.

### Shutdown OMK Services

```
service opeventsd stop
service opflow stop
service opconfigd stop
service nmisd stop
service omkd stop
```

### Enter the mongo Shell and Compact opEvents Collections

```
[root@opmantek ~]# mongo -u opUserRW -p op42flow42 --authenticationDatabase=admin nmisng
MongoDB shell version v3.4.9
connecting to: mongodb://127.0.0.1:27017/nmis
MongoDB server version: 3.4.9

> db.runCommand({compact: 'events'})
{ "ok" : 1 }
> db.runCommand({compact: 'rawlogs'})
{ "ok" : 1 }
> db.runCommand({compact: 'actionlog'})
{ "ok" : 1 }
>
```

### Start OMK Services

```
service omkd start
service nmisd start
service opeventsd start
service opconfigd start
service opflowd start
```

## Set Purging Policy

Now that the database has been cleaned up, set the purging policy in opCommon. That procedure is found here: [Purging of old data in opEvents](#)

## Related Topics

- [Purging of old data in opEvents](#)