


Instalación o actualización de un módulo OPMANTEK

Pasos para instalar o actualizar un módulo de OPMANTEK

Como recomendación se debe contar con salida a internet, porque al hacer la instalación requiere paquetes de cpan que no se encuentran instalados /actualizados esos paquete intervienen en la funcionalidad de los módulos.

1.- Descargar el modulo.run que se desea instalar desde la página oficial de descarga <https://opmantek.com/network-tools-download/>

```
wget link_de_Descarga
```




```
root@cnvspoc01:~# wget http://dl-nmis.opmantek.com/nmis8.6.8G.run
```

A screenshot of a terminal window titled "root@cnvspoc01:~". The window shows a single command: "wget http://dl-nmis.opmantek.com/nmis8.6.8G.run". The terminal has a light blue background and white text. There are standard window controls (minimize, maximize, close) at the top right.

En este caso se instalara la siguiente versión de NMIS: para eso accedemos a la siguiente liga: <http://dl-nmis.opmantek.com/nmis8.6.2G.run>

2.- Dar permisos de ejecución al modulo.run con el siguiente comando

```
chmod +x nmis8.6.8G.run
```



```
root@cnvspoc01:/tmp# chmod +x nmis8.6.8G.run
```

A screenshot of a terminal window titled "root@cnvspoc01:/tmp". The window shows a single command: "chmod +x nmis8.6.8G.run". The terminal has a light blue background and white text. There are standard window controls (minimize, maximize, close) at the top right.

3.- Ejecutar el instalador nmis8.6.8G.run

```
[root@opmantek tmp]# ./nmis8.6.8G.run
Verifying archive integrity... All good.
Uncompressing NMIS Version 8.6.8G 100%
=====
NMIS Installer
=====
```

4.- Hará un diagnostico si existen paquetes faltantes, si es el caso instalarlos con CPAN o YUM, de lo contrario se continua con la instalación.

```
root@cnvspoc01:/tmp
Required package perl-Clone is already installed (version 0.34).
Required package perl-ExtUtils-CBuilder is already installed (version 0.28.2).
Required package perl-ExtUtils-ParseXS is already installed (version 3.18).
Required package perl-ExtUtils-MakeMaker is already installed (version 6.68).
Required package perl-Test-Fatal is already installed (version 0.010).
Required package perl-Test-Number-Delta is already installed (version 1.06).
Required package perl-Test-Requires is already installed (version 0.06).
Required package perl-JSON is already installed (version 2.59).
Required package perl-XML-SAX is already installed (version 0.99).
Required package perl-XML-SAX-Writer is already installed (version 0.53).
Required package perl-Convert-ASN1 is already installed (version 0.26).
Required package perl-Text-CSV is already installed (version 1.30).
Required package perl-Text-CSV_XS is already installed (version 1.00).
Required package perl-Authen-PAM is NOT installed!
Required package perl-Time-ParseDate is already installed (version 2015.103).

Some required packages are missing:
perl-Authen-PAM

The installer can use YUM to download and install these packages.

Do you want to install these packages with YUM now?
Type 'y' or <Enter> to accept, or 'n' to decline:
```

5.- Se pregunta que si se desea iniciar la instalación o actualización para esto respondemos que si (y)

```
+++++
Checking Installation Target
+++++

The standard NMIS installation target is "/usr/local/nmis8".
To install NMIS into a different directory please answer the question below
with "no" and restart the installer with the argument site=<custom_dir>,
e.g. ./install.pl site=/opt/nmis8

OK to start installation/upgrade to /usr/local/nmis8?
Type 'y' or <Enter> to accept, or 'n' to decline:
```

6.- El instalador detecta una versión de NMIS y pregunta que se deseamos realizar una copia de seguridad.

```
+++++
Existing NMIS8 Installation detected
+++++

It seems that you have an existing NMIS installation
in /usr/local/nmis8. The installer can upgrade the existing installation,
or remove it and install from scratch.

Do you want to take a backup of your current NMIS install?
(RRD data is NOT included!)
Type 'y' or <Enter> to accept, or 'n' to decline: y
```

7.- El instalador realiza una interrogante para ver si se Desea actualizar la instalación existente, ingresar la tecla Y para indicar que si.

```
Do you want to upgrade the existing installation?
If you say No here, the existing installation will be REMOVED and OVERWRITTEN!

Type 'y' or <Enter> to accept, or 'n' to decline: y

+++++
Copying NMIS files...
+++++

Copying source files from /tmp/selfgz1986821441 to /usr/local/nmis8..
```

8.- Dar Enter para continuar

```
You should check the NMIS Wiki for instructions on manual
model upgrades: https://community.opmantek.com/x/-wd4

Hit <Enter> to continue:
+++++
Auto-upgradeable model files detected
+++++
```

9.- En este paso realiza la Migración de rrds

```
OK to run rrd migration script?
Type 'y' or <Enter> to accept, or 'n' to decline:
Running RRD migration script in test mode first...
```

10.- La instalación ha finalizada.

```
+++++
NMIS was Upgraded
+++++
Your NMIS installation has now been upgraded.
Please note that your existing configuration files were updated with new
configuration settings and some important default options were changed
(if you selected that option earlier), but all other settings
remain unchanged.
You may want to use the tools diffconfigs.pl, compare_models
and patch_config.pl (in /usr/local/nmis9/admin/) to detect differences between
the new defaults in /usr/local/nmis9/conf-default and your active configuration.

You will find more information in the release notes at

https://community.opmantek.com/display/NMIS/NMIS+Release+Notes

You should now be able to access NMIS at

http://<HOSTNAME\_OR\_IP>/nmis8
If your browser is running on the same machine as NMIS was
installed onto, this would be

http://localhost/nmis8/
+++++
installation complete.
+++++
You have mail in /var/spool/mail/root
```

11.- Una vez finalizada la instalación es necesario realizar una revisión de los servicios, módulos, GUI, colección de datos, para poder descartar cualquier comportamiento anormal de la herramienta.

Nota: Durante la instalación se realizan preguntas referentes a actualización de archivos, servicios o configuraciones, por lo que se debe de tener precaución al responder los cuestionamientos.

Este procedimiento esta sintetizado de forma que al momento de realizar la ejecución de una actualización sea los más fácil posible.