

# Configuring NMIS for Multi-Tenancy

NMIS8 is a powerful Open Source Network Management System which can support multi-user and multi-tenant scenarios, this can be useful for a Managed Service Provider or for a large IT organisation who have devices which other users are not permitted to see. The following describes how to configure that.


- [What is Multi-Tenancy](#)
  - [How Simple Multi-Tenancy Works](#)
- [Task List for Simple Multi-Tenancy](#)
  - [Manage Groups](#)
  - [Manage Nodes](#)
  - [Manage Users](#)
- [Conclusion](#)

## What is Multi-Tenancy

- Multi-Tenancy is the ability to use the same software for multiple customers (tenants)
- This should work so that when the customer logs in, the customer only sees things relating to their business, and nothing from other customers.
- Another aspect of multi-tenancy for network management systems is how to handle managed elements (nodes) with the overlapping IP addresses and address ranges.
- There are several ways which multi-tenancy can be achieved with NMIS and all solutions involve some form of physical or logical data segmentation.
- This document will address one technique for NMIS to do simple multi-tenancy.

## How Simple Multi-Tenancy Works

The following diagrams shows the relationships between Users, Groups, Nodes and Customers.



- A node belongs to a group of Nodes
- A user is permitted to see all groups, or selected groups
- A customer is made up of multiple groups of nodes.

## Task List for Simple Multi-Tenancy

- Define the groups for the customers
- Add nodes for the customer, selecting the groups
- Create one or more users for the customer select the corresponding groups for the user


## Manage Groups

To manage groups in NMIS access the menu option "Setup -> Add/Edit Groups".



- Basic Setup
- Advanced Setup ---
- Add/Edit Groups
- Add/Edit Nodes and Devices
- Node Customisation
- Contact Setup
- Emails, Notifications and Escalations
- Event Configuration
- Thresholding Alert Tuning

This will launch a small widget, which you can see the existing groups and add or delete groups.



## Manage Nodes

Assuming you already have nodes in NMIS and you just need to assign them to groups, you can edit the nodes, access the nodes, use the menu item "System -> System Configuration -> NMIS Nodes (devices)".

Then edit the node you want to change and change the group, save by clicking the "Edit" button at the bottom of the widget.

NMIS Nodes (devices) Wed 10:37

Table Nodes	
Name *	air
UUID	524bed25-f441-11e4-9085-b6289e395a0c
Name/IP Address *	192.168.1.252
Group *	xAN
SNMP Community *	
Service Management Options	
Customer	PACK
Business Service	Billing System Core Network Email Media Services Printing Web Page
Service Status	Production

\* mandatory fields.

## Manage Users

To manage Users in NMIS access the menu option "System -> System Configuration -> Users".

This will display a list of users already being managed by NMIS. You can view, add, edit, delete users from this menu.

Once viewing a user, select the groups which apply to that user (those groups of devices they are permitted to see) and click on "add" or "edit" on the bottom

Users Wed 10:40

Table Users	
User	customer1
Config file	
Privilege	operator
Admission	true
Group	none all network Branches Campus Cloud

\* mandatory fields.

## Conclusion

By creating groups of nodes and permitting users to view those groups, you are providing a level of security to the system so that people can not things which are they not supposed to see.